

General Catalog

for
Brass and Bronze Valves
Stainless Valves &
Automated Valves



TOA INDUSTRIAL COMPANY LIMITED

CONTENTS

Title	Type	Fig	Class	Body material	End connection	Page
Brass&Bronze Valves	Gate	M,E	125	Bronze	Threaded	4
	Gate	FR,FG,FE	125/150	Brass/Bronze	Threaded	5
	Globe	TA,TC	100/150	Brass/Bronze	Threaded	6
	Angle	CL	150	Bronze	Threaded	6
	Check	TS	125	Brass/Bronze	Threaded	7
	Strainer	Y	150	Brass/Bronze	Threaded	7
	Cock	BM	10K	Brass	Threaded	7
	Ball	BA,BAT	400	Brass	Threaded	8
	Full bore Ball	BZ,BZT,BO	600/400	Brass	Threaded	9
	Ball	B,BT	600	Brass	Threaded	10
	Ball	BK,BKT	600	Brass	Threaded	11
	3-Way Ball	BN	400	Brass	Threaded	12
Stainless Valves	Gate	UL,FUL/ULN,FULN	10K	Stainless	Threaded/Flanged	14
	Globe	UG,FUG/UGN,FUGN	10K	Stainless	Threaded/Flanged	15
	Check	US,FUS/USN,FUSN	10K	Stainless	Threaded/Flanged	16
	Strainer	UY,FUY/UYN,FUYN	10K	Stainless	Threaded/Flanged	17
	Gate	10UGA/UGAN	10K	Stainless	Flanged	18
	Gate	20UGA/UGAN	20K	Stainless	Flanged	18
	Gate	150UGA/UGAN	150	Stainless	Flanged	19
	Gate	300UGA/UGAN	300	Stainless	Flanged	19
	Globe	10UGL/UGLN	10K	Stainless	Flanged	20
	Globe	20UGL/UGLN	20K	Stainless	Flanged	20
	Globe	150UGL/UGLN	150	Stainless	Flanged	21
	Globe	300UGL/UGLN	300	Stainless	Flanged	21
	Check	10UCS/UCSN	10K	Stainless	Flanged	22
	Check	20UCS/UCSN	20K	Stainless	Flanged	22
	Check	150UCS/UCSN	150	Stainless	Flanged	23
	Check	300UCS/UCSN	300	Stainless	Threaded	23
	Ball(1piece body)	UK,UKT	800	Stainless	Threaded	24
	Ball(1piece body)	UB,UBT,UBMT	800	Stainless	Threaded	24
	Ball(2piece body)	UF,UFT	1000	Stainless	Threaded	25
	Ball(3piece body)	U3BN,SWU3BN	1000	Stainless	Threaded	26
Ball(1piece body)	N-UKT	800	Stainless	Threaded	27	
3-Way Ball	UN4	600	Stainless	Threaded	27	
Ball(Bolted body)	FUF,FUFN	10K	Stainless	Flanged	28	
Ball(Bolted body)	FUFA,FUFNA	150	Stainless	Flanged	28	
Electrically Actuated Compact Ball Valves	2-way	UB-MK/MH	10K	Stainless	Threaded	32
	3-way	UB3L-MK/MH	10K	Stainless	Threaded	32
	2-way	FUF-PMK	10K	Stainless	Flanged	33

Notes

- 1) Refer to individual specification sheet or the drawing for details of a product.
- 2) Main units on this catalog are shown in SI unit (MPa, °C, millimeter), and weight (W) is shown in Kg.
- 3) Refer to the attached P-T rating about applicable pressure and temperature.
- 4) Brass or bronze and stainless steel strainers have the perforated metal screen. (Estimated to 14-16 meshes)
- 5) ® Dupont's tradename



Products guarantee

Term of a guarantee: within one year after the date of delivery from our factory to the original customer.

Contents of a guarantee: If the installations and the service conditions (such as pressure, temperature, Fluid, etc.) are proper, necessary replacement and repair of our product will be carried out without charge.

Guarantee exceptions: Please keep in mind that the above articles of guarantee will not apply to the case

owing to the following reasons: Non-compliance of the customer with the technical instruction furnished by our catalog and specificationsheet.

Natural disaster incidents, such as a fire, flood damage, an earthquake, and falling stone Reconstruction or repair by any third party other than TOA Valve Industry Co., Ltd.

Deterioration (such as shot rust, degradation, chemical changes, etc.)

Any other matter resulting from the damage not being regarded as manufacturer's responsibility

In addition, you will be required necessary charge for repair or exchange of parts on failure or damage by the Guarantee exceptions. Please contact our sales staff or agency for details.

The specification and the performance term of our product indicated in this catalog are based on the inter-Nationally governed standards and specifications, our products experience or the design calculation and our in-house examination.

When using the product beyond the service conditions mentioned in this catalog, users are requested to consult TOA Valve for further advice in advance, or to conduct the verification or evaluation for the performance under users' responsibility. We shall not be liable for any damages resulting from lack of aforementioned procedure by the customer.

Items mentioned in this catalog are subject to change without prior notice to the customers.

TOA

ISO certified since 2006

TOA INDUSTRIAL COMPANY LIMITED

15-6,4-CHOME,TATSUMIKITA,IKUNO-KU,

OSAKA,544-0004,JAPAN

Head office

Phone : 81-6-6753-2771

F a x : 81-6-6753-2772

U R L : <http://t-o-a.jp>



TOA

ISO 9001 REGISTERED FIRM